

daflon[®] 500mg
micronized purified flavonoid fraction

How many patients with a venous disease will have
a progression of their symptoms in the coming years?

50% **30%** **10%**

daflon[®] 500mg
micronized purified flavonoid fraction

More than
50%

of patients will have
a progressive venous disease...



daflon[®] 500mg
micronized purified flavonoid fraction

In All Venous Diseases

It's time to say no to the pain...



Daflon 500mg, the worldwide reference¹ of veno-active treatments

1. IMS Health, Analytics Link, MAT Q4 2014, 71 countries

daflon[®] 500_{mg}
micronized purified flavonoid fraction

Many Patients are Affected


1 out of 2
People with
Chronic Venous Disease²



1 out of 2
People with
Hemorrhoidal Disease³



2 out of 5
People with
Pelvic Congestion Syndrome⁴







2. Bonn vein study. Rabe.PL.2006.

3. Stock C, et al. Gastrointest Endosc. 2010;71(2):366-381. 50% after 50 years old.

4. Robinson et al. Curr Opin Obstet Gynecol 1993;5:740-743.

daflon[®] 500_{mg}
micronized purified flavonoid fraction

Progressive Venous Inflammation



Pain



Permanent changes

daflon[®] 500mg
micronized purified flavonoid fraction

In All Venous Diseases

To Relieve & Stop The Disease Progression



Chronic Venous Disease



Hemorrhoidal Disease



Pelvic Congestion Syndrome

Post-Surgery


daflon[®] 500_{mg}

micronized purified flavonoid fraction

Reduces pain & other symptoms⁵ at stage C0s



- C0s**
- C1s
- C2-C3s



Chronic Venous Disease

5. Tsukanov et al. Phlebology. 2015;22(1):18-24. 6. Kirienko et al. Int Angiol. 2016;35(4):399-405.

After 2 months
n=26 *P<0.00001

daflon[®] 500_{mg}

micronized purified flavonoid fraction

Eliminates⁷ the venous reflux at stage C1s





C0s

C1s

C2-C3s

Number of patients with transient evening reflux



Chronic Venous Disease

7. Tsukanov et al.. Int Angiol. 2016. June 17. Epub ahead of print.

After 3 months
n=53 * $P < 0.00001$


daflon[®] 500mg

micronized purified flavonoid fraction

Reduces edema^o at stage C2-C3



Volume of the legs with varicose veins (mL)



Chronic Venous Disease

8. Blume et al. Phlebology. 1992;7:37-40.

After 6 weeks
n=10 *P<0.001


daflon[®] 500mg

micronized purified flavonoid fraction

Rapidly reduces pain & bleeding⁹



Acute
Relapses



Hemorrhoidal Disease

9. Jiang et al. Curr Med Res Opin. 2006 ;22:1141-1147 10. Misra et al. Br J Surg. 2000;87:868-872

After 7 days vs Placebo
n=90 $P<0.001$ Pain $P<0.05$ Bleeding


daflon[®] 500mg

micronized purified flavonoid fraction

Reduces recurrence of acute episodes¹¹



Acute
Relapses



Hemorrhoidal Disease

11. Goderberge et al. Phlebology.1992;7 (suppl 2):61-63

2 months treatment vs placebo
n=120 *P<0.01


daflon[®] 500mg

micronized purified flavonoid fraction

Rapidly reduces pelvic pain¹²



Pelvic Pain
Pelvic Varicose Veins



Pelvic Congestion Syndrome

12. Tsukanov et al. Int J Angiol. 2016;25(2):121-127 13. Gavrilov et al. Phlebolympology. 2015;22(2):76-81.

After 1 month
n=24 *P<0.041



Pelvic Pain

Pelvic Varicose Veins

1. Significant decrease of pain & associated symptoms



Pelvic Pain
Urination disorders
Dyspareunia

2. Significant decrease of vein diameter

7.6mm

-1.7mm

5.9mm

Baseline




$P < 0.0001$

daflon[®] 500mg

micronized purified flavonoid fraction

Reduces post-operative pain



Post-Surgery

14. Bogachev et al. Phlebology. 2013;20(4):181-187.

n=230 *P=NS **P<0.00001

daflon[®] 500_{mg}

micronized purified flavonoid fraction

Reduces post-operative pain & bleeding¹⁵




CVD

HD

Post-Surgery

Global score



From day **3** 

15. La Torre et al. Dis Colon Rectum. 2004;47:704-710

vs Control: Antibiotic & anti-inflammatory drugs
n=50 *P<0.0001

daflon[®] 500mg

micronized purified flavonoid fraction

An Original Formula

From Small immature oranges

5 Micronized Active Ingredients

Diosmin

Hesperidin

Linarin

Isorhoifolin

Diosmetin

<2 μ m




daflon[®] 500_{mg}

micronized purified flavonoid fraction

A Complete Mode Of Action

1. Stop the inflammation
Powerful anti-inflammatory properties¹⁶



2. Protect the veins from destruction
Powerful venoprotective properties¹⁷

daflon[®] 500_{mg}

micronized purified flavonoid fraction

It's time to say no to the pain...

- Quick symptoms relief from the early stage
- A complete mode of action:
anti-inflammatory & venoprotective properties
- An original formula

#1 in the world¹



2 tablets daily
for at least 2 months



6 tablets daily
up to 7 days **then** **2 tablets daily**
for at least 2 months

daflon[®] 500mg

micronized purified flavonoid fraction

Do not use Daflon 500 mg in case of:*

- Hypersensitivity to the active substance or to any of the excipients.

What are the important identified risks and the undesirable effects that may occur with Daflon 500 mg?*

- Nervous system disorders:
 - Dizziness, headache, malaise are rare ($\geq 1/10,000$ to $< 1/1,000$)
- Gastrointestinal disorders:
 - Diarrhoea, dyspepsia, nausea, vomiting are common ($\geq 1/100$ to $< 1/10$)
 - Colitis is uncommon ($\geq 1/1,000$ to $< 1/100$)
- Skin and subcutaneous tissue disorders:
 - Rash, pruritus, urticaria are rare ($\geq 1/10,000$ to $< 1/1,000$)
 - Isolated face, lip, eyelid oedema have a not known frequency. Exceptionnally Quincke's oedema

What are the warnings or precautions associated with the use of Daflon 500 mg?*

- The administration of this product for the symptomatic treatment of acute hemorrhoids does not preclude treatment for other anal conditions.
- If symptoms do not subside promptly, a proctological examination should be performed and the treatment should be reviewed.



**For complete information, please refer to the complete summary of product characteristics for your country.*